

Fasson® Rapid-Roll® Clear Multi-Ply Snack Web Snack Web 260 HB ITC
Description:

Fasson® Rapid-Roll® NEW Clear Multi-Ply Snack Web 260 HB ITC is a 2 ply clear adhesive laminated flexible packaging material used for dry and wet goods. The EVOH sealant provides excellent oxygen barrier and seal properties. The clear print treated PET face provides excellent gloss and printability via Flexo Digital print technology. Construction consists of ITC 48 Ga. PET/2m Clear EVOH with non-migratory slip.

Compliance:


In compliance with CFR Title 21, Sections 177.1520. Compliance with this regulations allows the direct contact of the products with all food types subject to limitations outlined in the regulation.

Properties:

Physical Property	Typical Value	Test Method
Caliper	2.6 mils	ASTM D2103
Yield	10.5 msi/lb	ASTM D4321



Layer Property	Results	Typical Value	Test Method
Exterior Layer Performance Properties			
Dimension Stability	Excellent	N/A	N/A
Flex Crack Resistance	Good	N/A	N/A
Ink Recommendation	Film Inks	N/A	N/A
Stiffness / Flexibility	Average	N/A	N/A
Tear Propagation	N/A	N/A	N/A
Barrier Layer Performance Properties			
Chemical Resistance	Average	N/A	N/A
Light	Poor	N/A	N/A
Moisture Vapor Trans Rate	0.35	grams/100 sq.in./day	N/A
Odor	Average	N/A	N/A
Oxygen Vapor Trans Rate	0.10	cc/100 sq.in./day	N/A
Sealant Layer Performance Properties			
Caulk & Flow	Good	N/A	N/A
Hot Tack	Good	N/A	N/A
Coefficient of Friction - Kinetic	0.25	Kinetic (seal to seal)	N/A
Seal Initiation Temperature	300	°F	N/A
Seal Strength	N/A	g/in. @350°F/40 psi/0.5 secs.	N/A
Seal through Contamination	Good	N/A	N/A



Target Markets:

This laminated construction is used for dry and wet snack good applications and contents with oils, fats and require high barrier structures. Generally packaged at or about 2 oz..

End Uses:

Nuts and other oxygen sensitive salted snacks, condiments and personal care items.

Shelf Life

Unless specified otherwise in this document, one year when stored at 72°F at 50% RH

Statement of Practical Use

All materials, sales and contracts for sale of Avery Dennison products are sold with the express requirement and understanding that the customer is solely and exclusively responsible for testing and for ensuring the products are fit for the customer's purposes or an end-user's purposes. All express or implied warranties of merchantability and fitness for particular use are disclaimed.

Warranty


All sales and contracts for sale are expressly conditioned on the buyer's assent to Avery Dennison's terms and conditions found on its website at www.na.fasson.com. Avery Dennison hereby objects to any term, different from or additional to Avery Dennison's terms, contained in any buyer communication in any form, unless agreed to in a writing signed by an officer of Avery Dennison.

label.averydennison.com



Label and Packaging Materials-North America

8080 Norton Parkway
Mentor, OH 44060



800-944-8511

